



Ceiling module | Shanqiu Mini UPS FX5-48 / Vultec Continuity UPS30PW-DC





Model	FX 5-21		
Rated working voltage	100-240VAC/50-60Hz		
Output power(Max.)	15W		
Output	USB Interface	DC Interface	POE Interface
Output voltage(selectable)	5Vdc	9Vdc / 12Vdc	15Vdc / 24Vdc
Output polarity	-		+4_pins- / _8pins
Output polarity & current (in common)	1.0A/5W	1.0A / 12W	0.3A/15W/0.2A/24V/15W
QTY. & capacity of battery	2200mAh*4		
Unit dimension(mm)	160*105*28		
Net weight(kg)	0.4		



<https://wiki.stadtfabrikanten.org/pdfjs/web/viewer.html?file=https://wiki.stadtfabrikanten.org/attachments/146>

<https://wiki.stadtfabrikanten.org/pdfjs/web/viewer.html?file=https://wiki.stadtfabrikanten.org/attachments/147>

<https://wiki.stadtfabrikanten.org/pdfjs/web/viewer.html?file=https://wiki.stadtfabrikanten.org/attachments/148>

Notes

- There are different versions of the UPS ("USV" is german short name for this) on the market. Shanqiu Mini USV FX5-48 and Vultec Continuity UPS30PW-DC are nearly the same models except different color, POE wattage and branding. Both come with 5 V USB connector which allows up to 2.0 A output.
 - product link: <https://www.amazon.de/VulTech-Continuity-Serie-DC-Watt/dp/B07TBKVLKX>
 - **Warning:** The UPS does not have a POE with sensing technology. Devices that do not have POE support can suffer damage. I have tested it on my USB network card. This started after about 30 seconds with intense smoke formation. I quickly released the connection by plugging off again. For this reason, I 3d printed 2 adapter pieces to seal the POE-LAN sockets (some kind of disallowed usage). → https://m.drivesncontrols.com/news/fullstory.php/aid/4494/PoE_extensions_91can_damage_non-PoE_equipment_92.html
-

Version #1

Erstellt: 2026-06-07 23:38:35 CEST von Mario Voigt

Zuletzt aktualisiert: 2026-06-07 23:39:56 CEST von Mario Voigt